

DRY NURSERY FEEDER

NM SERIES

Features

- Option of EZ Adjustment, Hand Crank Adjustment or Shifter Adjustment system
- Traditional feed space dimensions designed for hog comfort and accessibility of feed
- *Feed Saving Lip* – saves feed and money

Accessories

- Drop Tube Holders included

Option

- Also available as knock down bolt kit (ideal for long distance and international shipments)
- Available in either single or double sided models



Dry Nursery Feeder | Traditional 6" x 6" Feed Spaces | Double Sided (20 GA 304SS, 31" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Part # (Shift Adjuster)	Trough Spaces	Length		Width		Height		Feed Capacity	
				Inches	CM	Inches	CM	Inches	CM	Pounds	Kg
NM18-203	NM18-203.HC	NM18-203.SA	Double 3	18.25"	46	17"	43	31"	79	91	41
NM24-204	NM24-204.HC	NM24-204.SA	Double 4	24.25"	62	17"	43	31"	79	121	55
NM30-205	NM30-205.HC	NM30-205.SA	Double 5	30.25"	77	17"	43	31"	79	151	68
NM36-206	NM36-206.HC	NM36-206.SA	Double 6	36.25"	92	17"	43	31"	79	181	82
NM42-207	NM42-207.HC	NM42-207.SA	Double 7	42.25"	107	17"	43	31"	79	212	96
NM48-208	NM48-208.HC	NM48-208.SA	Double 8	48.25"	122	17"	43	31"	79	242	110
NM54-209	NM54-209.HC	NM54-209.SA	Double 9	54.25"	138	17"	43	31"	79	272	123
NM60-210	NM60-210.HC	NM60-210.SA	Double 10	60.25"	153	17"	43	31"	79	302	137
NM66-211	NM66-211.HC	NM66-211.SA	Double 11	66.25"	168	17"	43	31"	79	333	151
NM72-212	NM72-212.HC	NM72-212.SA	Double 12	72.25"	184	17"	43	31"	79	363	165

* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

***The shifter adjustment must be all the way down for flip to clean use.

DRY NURSERY MAX FEEDER

NMX SERIES

The Nursery MAX feeder (NMX Series) is constructed with 8" wide x 8" deep feed spaces and 18 ga walls. This "Junior" model is designed to accommodate the growing trend of keeping pigs in nursery to heavier weights.

Features

- Option of EZ Adjustment, Hand Crank Adjustment or Shifter Adjustment system
- Larger feed space dimensions designed for hog comfort and accessibility of feed
- *Feed Saving Lip* – saves feed and money

Accessories

- Drop tube holders included

Options

- Available in either single or double sided models



Dry Nursery Max Feeder | Large 8" x 8" Feed Spaces | Double Sided (18 GA 304SS, 31" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Part # (Shift Adjuster)	Trough Spaces	Length		Width		Height		Feed Capacity	
				Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
NMX24-203	NMX24-203.HC	NMX24-203.SA	Double 3	24.25"	62	22"	58	31"	79	161	73
NMX32-204	NMX32-204.HC	NMX32-204.SA	Double 4	32.25"	82	22"	58	31"	79	215	98
NMX40-205	NMX40-205.HC	NMX40-205.SA	Double 5	40.25"	102	22"	58	31"	79	268	122
NMX48-206	NMX48-206.HC	NMX48-206.SA	Double 6	48.25"	123	22"	58	31"	79	322	146
NMX56-207	NMX56-207.HC	NMX56-207.SA	Double 7	56.25"	143	22"	58	31"	79	376	171
NMX60-208	NMX60-208.HC	NMX60-208.SA	Double 8	60.25"	153	22"	58	31"	79	403	183
NMX64-208	NMX64-208.HC	NMX64-208.SA	Double 8	64.25"	163	22"	58	31"	79	430	195
NMX72-209	NMX72-209.HC	NMX72-209.SA	Double 9	72.25"	184	22"	58	31"	79	483	219
NMX80-210	NMX80-210.HC	NMX80-210.SA	Double 10	80.25"	214	22"	58	31"	79	537	244

* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

***The shifter adjustment must be all the way down for flip to clean use.

DRY FINISH FEEDER

FM SERIES

Features

- Option of EZ Adjustment, Hand Crank Adjustment or Shifter Adjustment system
- Traditional feed space dimensions of 10" width
- *Feed Saving Lip* – saves feed and money

Accessories

- Drop tube holders included

Options

- Available in either single or double sided models
- Available in bolt together model



Dry Finish Feeders, with Straight Rod Dividers | Traditional 10" Feed Space Width | Double Sided (18 GA 304SS, 34" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Part # (Shift Adjuster)	Trough Spaces	Length		Width		Height		Feed Capacity	
				Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
FM20-202	FM20-202.HC	FM20-202.SA	Double 2	20.25"	51	25"	64	34"	86	185	84
FM30-203	FM30-203.HC	FM30-203.SA	Double 3	30.25"	77	25"	64	34"	86	277	126
FM40-204	FM40-204.HC	FM40-204.SA	Double 4	40.25"	102	25"	64	34"	86	370	168
FM50-205	FM50-205.HC	FM50-205.SA	Double 5	50.25"	128	25"	64	34"	86	462	210
FM60-206	FM60-206.HC	FM60-206.SA	Double 6	60.25"	153	25"	64	34"	86	554	251
FM70-207	FM70-207.HC	FM70-207.SA	Double 7	70.25"	178	25"	64	34"	86	647	293
FM80-208	FM80-208.HC	FM80-208.SA	Double 8	80.25"	204	25"	64	34"	86	739	335

* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

DRY WEAN-TO-FINISH FEEDER WF SERIES

Features

- Option of EZ Adjustment, Hand Crank Adjustment or Shifter Adjustment system
- Traditional wean-to-finish feed space dimensions (14" or more) – designed for hog comfort and accessibility of feed
- *Feed Saving Lip* – saves feed and money

Accessories

- Drop tube holders included

Options

- Available in either single or double sided models
- Also available as knock down bolt kit (ideal for long distance and international shipments)



With Solid Panel Dividers

- Solid panel dividers prevent pigs from seeing each other, which reduces fighting and increases gains



With V-Guard Dividers

- V-Guard dividers – can be easily washed with no splash back



Dry Wean-to-Finish Feeder, with Solid Panel Dividers | Double Sided (18 GA 304SS, 34" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Part # (Shift Adjuster)	Trough Spaces	Length		Width		Height		Feed Capacity	
				Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
WF14-221	WF14-221.HC	WF14-221.SA	Double 1	14.25"	36	25"	64	34"	86	129	59
WF28-222	WF28-222.HC	WF28-222.SA	Double 2	28.25"	72	25"	64	34"	86	259	117
WF30-222	WF30-222.HC	WF30-222.SA	Double 2	30.25"	77	25"	64	34"	86	277	126
WF42-223	WF42-223.HC	WF42-223.SA	Double 3	42.25"	107	25"	64	34"	86	388	176
WF50-224	WF50-224.HC	WF50-224.SA	Double 4	50.25"	128	25"	64	34"	86	462	210
WF56-224	WF56-224.HC	WF56-224.SA	Double 4	56.25"	143	25"	64	34"	86	517	235
WF60-224	WF60-224.HC	WF60-224.SA	Double 4	60.25"	153	25"	64	34"	86	554	251
WF70-225	WF70-225.HC	WF70-225.SA	Double 5	70.25"	178	25"	64	34"	86	647	293
WF75-226	WF75-226.HC	WF75-226.SA	Double 6	75.25"	191	25"	64	34"	86	693	314
WF84-226	WF84-226.HC	WF84-226.SA	Double 6	84.25"	214	25"	64	34"	86	776	352

Dry Wean-to-Finish Feeder, with V-Guard Dividers | Double Sided (18 GA 304SS, 34" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Part # (Shift Adjuster)	Trough Spaces	Length		Width		Height		Feed Capacity	
				Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
WF28-2V2	WF28-2V2.HC	WF28-2V2.SA	Double 2	28.25"	72	25"	64	34"	86	259	117
WF30-2V3	WF30-2V3.HC	WF30-2V3.SA	Double 3	30.25"	77	25"	64	34"	86	277	126
WF42-2V3	WF42-2V3.HC	WF42-2V3.SA	Double 3	42.25"	107	25"	64	34"	86	388	176
WF50-2V4	WF50-2V4.HC	WF50-2V4.SA	Double 4	50.25"	128	25"	64	34"	86	462	210
WF50-2V5	WF50-2V5.HC	WF50-2V5.SA	Double 5	50.25"	128	25"	64	34"	86	462	210
WF56-2V4	WF56-2V4.HC	WF56-2V4.SA	Double 4	56.25"	143	25"	64	34"	86	517	235
WF56-2V5	WF56-2V5.HC	WF56-2V5.SA	Double 5	56.25"	143	25"	64	34"	86	517	235
WF60-2V4	WF60-2V4.HC	WF60-2V4.SA	Double 4	60.25"	153	25"	64	34"	86	554	251
WF60-2V5	WF60-2V5.HC	WF60-2V5.SA	Double 5	60.25"	153	25"	64	34"	86	554	251
WF60-2V6	WF60-2V6.HC	WF60-2V6.SA	Double 6	60.25"	153	25"	64	34"	86	554	251
WF70-2V5	WF70-2V5.HC	WF70-2V5.SA	Double 5	70.25"	178	25"	64	34"	86	647	293
WF70-2V7	WF70-2V7.HC	WF70-2V7.SA	Double 7	70.25"	178	25"	64	34"	86	647	293
WF75-2V6	WF75-2V6.HC	WF75-2V6.SA	Double 6	75.25"	191	25"	64	34"	86	693	314

* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

***The shifter adjustment must be all the way down for flip to clean use.

DRY WEAN-TO-FINISH MAX FEEDER MAX SERIES

The Wean-to-Finish MAX feeder is 2" DEEPER in the trough feed spaces than the traditional Wean-to-Finish feeder, to give more head space to large finishing pigs. The MAX feeder is especially designed to provide adequate eating space for hogs being finished at 300+ lbs., a growing trend in the current market!

Features

- Deep feed spaces - for hogs being finished at heavier weights
- Option of EZ Adjustment, Hand Crank Adjustment or Shifter Adjustment system
- Solid panel dividers or V-Guard dividers – either option available
- Traditional feed space dimensions (14" or more) – designed for hog comfort and accessibility of feed
- Feed saving lip – saves feed and money

Accessories

- Drop tube holders included

Options

- Available in either single or double sided models



With Solid Panel Dividers

With V-Guard Dividers

Dry Wean-to-Finish MAX Feeder, with Solid Panel Dividers | Double Sided (18 GA 304SS, 34" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Part # (Shift Adjuster)	Trough Spaces	Length		Width		Height		Feed Capacity	
				Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
MX14-221	MX14-221.HC	MX14-221.SA	Double 1	14.25"	36	30"	76	34"	86	129	59
MX28-222	MX28-222.HC	MX28-222.SA	Double 2	28.25"	72	30"	76	34"	86	259	117
MX30-222	MX30-222.HC	MX30-222.SA	Double 2	30.25"	77	30"	76	34"	86	277	126
MX42-223	MX42-223.HC	MX42-223.SA	Double 3	42.25"	107	30"	76	34"	86	388	176
MX50-224	MX50-224.HC	MX50-224.SA	Double 4	50.25"	128	30"	76	34"	86	462	210
MX56-224	MX56-224.HC	MX56-224.SA	Double 4	56.25"	143	30"	76	34"	86	517	235
MX60-224	MX60-224.HC	MX60-224.SA	Double 4	60.25"	153	30"	76	34"	86	554	251
MX70-225	MX70-225.HC	MX70-225.SA	Double 5	70.25"	178	30"	76	34"	86	647	293
MX75-226	MX75-226.HC	MX75-226.SA	Double 6	75.25"	191	30"	76	34"	86	693	314
MX84-226	MX84-226.HC	MX84-226.SA	Double 6	84.25"	214	30"	76	34"	86	776	352
MX90-226	MX90-226.HC	MX90-226.SA	Double 6	90.25"	229	30"	76	34"	86	832	377

Dry Wean-to-Finish MAX Feeder, with V-Guard Dividers | Double Sided (18 GA 304SS, 34" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Part # (Shift Adjuster)	Trough Spaces	Length		Width		Height		Feed Capacity	
				Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
MX28-2V2	MX28-2V2.HC	MX28-2V2.SA	Double 2	28.25"	72	30"	76	34"	86	259	117
MX30-2V2	MX30-2V2.HC	MX30-2V2.SA	Double 2	30.25"	77	30"	76	34"	86	277	126
MX42-2V3	MX42-2V3.HC	MX42-2V3.SA	Double 3	42.25"	107	30"	76	34"	86	388	176
MX50-2V4	MX50-2V4.HC	MX50-2V4.SA	Double 4	50.25"	128	30"	76	34"	86	462	210
MX56-2V4	MX56-2V4.HC	MX56-2V4.SA	Double 4	56.25"	143	30"	76	34"	86	517	235
MX60-2V4	MX60-2V4.HC	MX60-2V4.SA	Double 4	60.25"	153	30"	76	34"	86	554	251
MX70-2V5	MX70-2V5.HC	MX70-2V5.SA	Double 5	70.25"	178	30"	76	34"	86	647	293
MX75-2V6	MX75-2V6.HC	MX75-2V6.SA	Double 6	75.25"	191	30"	76	34"	86	693	314
MX84-2V6	MX84-2V6.HC	MX84-2V6.SA	Double 6	84.25"	214	30"	76	34"	86	776	352
MX90-2V6	MX90-2V6.HC	MX90-2V6.SA	Double 6	90.25"	229	30"	76	34"	86	832	377

* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

***The shifter adjustment must be all the way down for flip to clean use.

DRY WEAN-TO-FINISH

TALL MAX FEEDER

MXT SERIES

In addition to having the DEEP feed trough spaces of the Wean-to-Finish MAX feeder, the Tall MAX Feeder (MXT Series) is 40" tall and has greater feed capacity.

Features

- Deep feed spaces & 40" height
- Option of EZ Adjustment or Hand Crank Adjustment system
- Larger feed space dimensions (14" or more) – designed for hog comfort and accessibility of feed
- *Feed saving lip* – saves feed and money

Accessories

- Drop tube holders included

Options

- Available in either single or double sided models



Dry Wean-to-Finish TALL MAX Feeder, with Solid Panel Dividers | Double Sided (18 GA 304SS, 40" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Trough Spaces	Length		Width		Height		Feed Capacity	
			Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
MXT14-221	MXT14-221.HC	Double 1	14.25"	36	30"	76	40"	102	182	83
MXT28-222	MXT28-222.HC	Double 2	28.25"	72	30"	76	40"	102	365	166
MXT30-222	MXT30-222.HC	Double 2	30.25"	77	30"	76	40"	102	390	177
MXT42-223	MXT42-223.HC	Double 3	42.25"	107	30"	76	40"	102	547	248
MXT50-224	MXT50-224.HC	Double 4	50.25"	128	30"	76	40"	102	651	295
MXT56-224	MXT56-224.HC	Double 4	56.25"	143	30"	76	40"	102	729	331
MXT60-224	MXT60-224.HC	Double 4	60.25"	153	30"	76	40"	102	781	354
MXT70-225	MXT70-225.HC	Double 5	70.25"	178	30"	76	40"	102	911	413
MXT75-226	MXT75-226.HC	Double 6	75.25"	191	30"	76	40"	102	977	443
MXT84-226	MXT84-226.HC	Double 6	84.25"	214	30"	76	40"	102	1094	496
MXT90-226	MXT90-226.HC	Double 6	90.25"	229	30"	76	40"	102	1172	532

Dry Wean-to-Finish TALL MAX Feeder, with V-Guard Dividers | Double Sided (18 GA 304SS, 40" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Trough Spaces	Length		Width		Height		Feed Capacity	
			Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
MXT28-2V2	MXT28-2V2.HC	Double 2	28.25"	72	30"	76	40"	102	365	166
MXT30-2V2	MXT30-2V2.HC	Double 2	30.25"	77	30"	76	40"	102	390	177
MXT42-2V3	MXT42-2V3.HC	Double 3	42.25"	107	30"	76	40"	102	547	248
MXT50-2V4	MXT50-2V4.HC	Double 4	50.25"	128	30"	76	40"	102	651	295
MXT56-2V4	MXT56-2V4.HC	Double 4	56.25"	143	30"	76	40"	102	729	331
MXT60-2V4	MXT60-2V4.HC	Double 4	60.25"	153	30"	76	40"	102	781	354
MXT70-2V5	MXT70-2V5.HC	Double 5	70.25"	178	30"	76	40"	102	911	413
MXT75-2V6	MXT75-2V6.HC	Double 6	75.25"	191	30"	76	40"	102	977	443
MXT84-2V6	MXT84-2V6.HC	Double 6	84.25"	214	30"	76	40"	102	1094	496
MXT90-2V6	MXT90-2V6.HC	Double 6	90.25"	229	30"	76	40"	102	1172	532

* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

DRY BOAR FEEDER

BF SERIES

Designed to feed larger hogs - Boars, Gilts, & Sows!

Features

- Heavy duty 16 gauge construction - for use with larger hogs
- Deep feed spaces & 40" height
- Solid panel dividers prevent pigs from seeing each other, reducing fighting and increases gains
- Option of EZ Adjustment or Hand Crank Adjustment system
- Larger feed space dimensions – designed for hog comfort and accessibility of feed
- *Feed saving lip* – saves feed and money

Accessories

- Drop tube holders included

Options

- Available in either single or double sided models



Dry Boar Feeder | Single Sided (16 GA 304SS, 40" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Trough Spaces	Length		Width		Height		Feed Capacity	
			Inches	CM	Inches	CM	Inches	CM	Pounds	Kg
BF12-121	BF12-121.HC	Single 1	12.25"	31	18"	46	40"	102	111	50
BF14-121	BF14-121.HC	Single 1	14.25"	36	18"	46	40"	102	129	59
BF16-121	BF16-121.HC	Single 1	16.25"	41	18"	46	40"	102	148	67
BF18-121	BF18-121.HC	Single 1	18.25"	46	18"	46	40"	102	166	75
BF30-122	BF30-122.HC	Single 2	30.25"	77	18"	46	40"	102	277	126
BF32-122	BF32-122.HC	Single 2	32.25"	82	18"	46	40"	102	296	134
BF48-123	BF48-123.HC	Single 3	48.25"	123	18"	46	40"	102	444	201
BF60-124	BF60-124.HC	Single 4	60.25"	153	18"	46	40"	102	554	251

Dry Boar Feeder | Double Sided (16 GA 304SS, 40" Height)

BF12-221	BF12-221.HC	Double 1	12.25"	31	30"	76	40"	102	156	71
BF14-221	BF14-221.HC	Double 1	14.25"	36	30"	76	40"	102	182	83
BF16-221	BF16-221.HC	Double 1	16.25"	41	30"	76	40"	102	208	94
BF18-221	BF18-221.HC	Double 1	18.25"	46	30"	76	40"	102	234	106
BF30-222	BF30-222.HC	Double 2	30.25"	77	30"	76	40"	102	390	177
BF32-222	BF32-222.HC	Double 2	32.25"	82	30"	76	40"	102	417	189
BF48-223	BF48-223.HC	Double 3	48.25"	123	30"	76	40"	102	625	284
BF60-224	BF60-224.HC	Double 4	60.25"	153	30"	76	40"	102	781	354

* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

WET/DRY NURSERY SHELF FEEDER

CSN SERIES

Features

- Option of EZ Adjustment or Hand Crank Adjustment system
- Rugged SDI nipples
- Direct drill-threaded water line: eliminates chance of leaks around the nipple
- Proper feed space dimensions designed for hog comfort and accessibility of feed
- *Feed saving lip* – saves feed and money

Accessories

- Drop tube holders included

Options

- Available in either single or double sided models
- Also available as knock down bolt kit (Ideal for long distance and international shipments)



Wet/Dry Nursery Shelf Feeder | (18 GA 304SS, 28" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Trough Spaces	Length		Width		Height		Feed Capacity	
			Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
CSN18-202	CSN18-202.HC	Double 2	18.25"	39	18.25"	46	28"	71	77	35
CSN24-203	CSN24-203.HC	Double 3	24.25"	72	18.25"	46	28"	71	102	46
CSN30-203	CSN30-203.HC	Double 3	30.25"	77	18.25"	46	28"	71	127	58
CSN36-204	CSN36-204.HC	Double 4	36.25"	92	18.25"	46	28"	71	152	69
CSN42-205	CSN42-205.HC	Double 5	42.25"	107	18.25"	46	28"	71	177	80
CSN48-206	CSN48-206.HC	Double 6	48.25"	123	18.25"	46	28"	71	203	92
CSN54-206	CSN54-206.HC	Double 6	54.25"	123	18.25"	46	28"	71	228	103
CSN60-207	CSN60-207.HC	Double 7	60.25"	153	18.25"	46	28"	71	253	115

* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

WET/DRY WEAN-TO-FINISH SHELF FEEDER

CSW SERIES

Wet/Dry Wean-to-Finish Shelf Feeder | (16 GA 304SS, Standard 31" Height)

Features

- Option of EZ Adjustment or Hand Crank Adjustment system
- Rugged SDI nipples
- Direct drill-threaded water line: eliminates chance of leaks around the nipple
- Large feed space dimensions (14" or more) – designed for hog comfort and accessibility of feed
- *Feed saving lip* – saves feed and money

Accessories

- Drop tube holders included

Options

- Available in either single or double sided models
- This feeder is available in two sizes - standard 31" height or XT 40" height
- Also available as knock down bolt kit (ideal for long distance and international shipments)



Part # (EZ-Squeeze)	Part # (Hand Crank)	Trough Spaces	Length		Width		Height		Feed Capacity	
			Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
CSW15-201	CSW15-201.HC	Double 1	15.25"	39	22"	56	31"	79	82	37
CSW28-202	CSW28-202.HC	Double 2	28.25"	72	22"	56	31"	79	153	69
CSW30-202	CSW30-202.HC	Double 2	30.25"	77	22"	56	31"	79	164	74
CSW36-203	CSW36-203.HC	Double 3	36.25"	92	22"	56	31"	79	197	89
CSW42-203	CSW42-203.HC	Double 3	42.25"	107	22"	56	31"	79	229	104
CSW48-203	CSW48-203.HC	Double 3	48.25"	123	22"	56	31"	79	262	119
CSW56-204	CSW56-204.HC	Double 4	60.25"	143	22"	56	31"	79	306	139
CSW60-204	CSW60-204.HC	Double 4	60.25"	153	22"	56	31"	79	328	149
CSW72-205	CSW72-205.HC	Double 5	72.25"	184	22"	56	31"	79	393	178
CSW84-206	CSW84-206.HC	Double 6	84.25"	214	22"	56	31"	79	459	208

Wet/Dry Wean-to-Finish Shelf Feeder | (16 GA 304SS, Extra Tall 40" Height)

CSW15XT-201	CSW15XT-201.HC	Double 1	15.25"	39	22"	56	40"	102	158	72
CSW28XT-202	CSW28XT-202.HC	Double 2	28.25"	72	22"	56	40"	102	294	133
CSW30XT-202	CSW30XT-202.HC	Double 2	30.25"	77	22"	56	40"	102	315	143
CSW36XT-203	CSW36XT-203.HC	Double 3	36.25"	92	22"	56	40"	102	378	171
CSW42XT-203	CSW42XT-203.HC	Double 3	42.25"	107	22"	56	40"	102	441	200
CSW48XT-203	CSW48XT-203.HC	Double 3	48.25"	123	22"	56	40"	102	504	229
CSW56XT-204	CSW56XT-204.HC	Double 4	56.25"	143	22"	56	40"	102	588	267
CSW60XT-204	CSW60XT-204.HC	Double 4	60.25"	153	22"	56	40"	102	630	286
CSW72XT-205	CSW72XT-205.HC	Double 5	72.25"	184	22"	56	40"	102	756	343
CSW84XT-206	CSW84XT-206.HC	Double 6	84.25"	214	22"	56	40"	102	882	400


* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

WET/DRY SHUT OFF FEEDER

OPTIONAL ON CSW SERIES

SDI's new one-handed feed shut-off system. Allows for the operator to independently shut off feed to one side of the feed shelf while still allowing the other side to operate.

This option is available in two sizes - standard 31" height or XT 40" height.



Wet/Dry Shut Off Shelf Feeder | (16 GA 304SS, Standard 31" Height)



Part # (EZ-Squeeze)	Part # (Hand Crank)	Trough Spaces	Length		Width		Height		Feed Capacity	
			Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
CSW30-202.S0	CSW30-202.S0.HC	Double 2	30.25"	77	22"	56	31"	79	164	74
CSW36-203.S0	CSW36-203.S0.HC	Double 3	36.25"	92	22"	56	31"	79	197	89
CSW42-203.S0	CSW42-203.S0.HC	Double 3	42.25"	107	22"	56	31"	79	229	104
CSW48-203.S0	CSW48-203.S0.HC	Double 3	48.25"	123	22"	56	31"	79	262	119
CSW56-204.S0	CSW56-204.S0.HC	Double 4	60.25"	143	22"	56	31"	79	306	139
CSW60-204.S0	CSW60-204.S0.HC	Double 4	60.25"	153	22"	56	31"	79	328	149
CSW72-205.S0	CSW72-205.S0.HC	Double 5	72.25"	184	22"	56	31"	79	393	178

Wet/Dry Shut Off Shelf Feeder | (16 GA 304SS, Extra Tall 40" Height)



CSW30XT-202.S0	CSW30XT-202.S0.HC	Double 2	30.25"	77	22"	56	40"	102	315	143
CSW36XT-203.S0	CSW36XT-203.S0.HC	Double 3	36.25"	92	22"	56	40"	102	378	171
CSW42XT-203.S0	CSW42XT-203.S0.HC	Double 3	42.25"	107	22"	56	40"	102	441	200
CSW48XT-203.S0	CSW48XT-203.S0.HC	Double 3	48.25"	123	22"	56	40"	102	504	229
CSW56XT-204.S0	CSW56XT-204.S0.HC	Double 4	56.25"	143	22"	56	40"	102	588	267
CSW60XT-204.S0	CSW60XT-204.S0.HC	Double 4	60.25"	153	22"	56	40"	102	630	286
CSW72XT-205.S0	CSW72XT-205.S0.HC	Double 5	72.25"	184	22"	56	40"	102	756	343



* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

WET/DRY WEAN-TO-FINISH DROP SHELF FEEDER

CSD SERIES



FULLY ADJUSTABLE

Adjust shelf 3 positions as your pigs grow

Features a "drop shelf" with 3 position options - 6.5", 8", or 9.5" shelf height (when open). This feeder has the ability to adjust the feed shelf low for the small wean pigs and raise the shelf as they mature. These positions are easily set by hand with the adjustment mechanism. **NO TOOLS NEEDED!**

Features

- Drop shelf - shelf height drops several inches lower to give weaned piglets ready access to feed. Shelf level can be raised as pigs grow!
- *Feed saving lip* – saves feed and money
- Rugged SDI nipples

Options

- Available as knock down bolt kit (ideal for long distance and international shipments)
- Available in either single or double sided models
- This feeder is available in two sizes - 34" height or XT 40" height.



Wet/Dry Wean-to-Finish Drop Shelf Feeder | (16 GA 304SS, Regular 34" Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Trough Spaces	Length		Width		Height		Feed Capacity	
			Inches	CM	Inches	CM	Inches	CM	Pounds	Kg
CSD15-201	CSD15-201.HC	Double 1	15.25"	39	22"	56	34"	86	106	48
CSD28-202	CSD28-202.HC	Double 2	28.25"	72	22"	56	34"	86	198	89
CSD30-202	CSD30-202.HC	Double 2	30.25"	77	22"	56	34"	86	212	96
CSD36-203	CSD36-203.HC	Double 3	36.25"	92	22"	56	34"	86	255	115
CSD42-203	CSD42-203.HC	Double 3	42.25"	107	22"	56	34"	86	296	135
CSD48-203	CSD48-203.HC	Double 3	48.25"	123	22"	56	34"	86	339	154
CSD56-204	CSD56-204.HC	Double 4	56.25"	143	22"	56	34"	86	396	180
CSD60-204	CSD60-204.HC	Double 4	60.25"	153	22"	56	34"	86	424	193
CSD72-205	CSD72-205.HC	Double 5	72.25"	184	22"	56	34"	86	508	231

Wet/Dry Wean-to-Finish Drop Shelf Feeder | (16 GA 304SS, Extra Tall 40" Height)

CSD15XT-201	CSD15XT-201.HC	Double 1	15.25"	39	22"	56	40"	102	158	72
CSD28XT-202	CSD28XT-202.HC	Double 2	28.25"	72	22"	56	40"	102	294	133
CSD30XT-202	CSD30XT-202.HC	Double 2	30.25"	77	22"	56	40"	102	315	143
CSD36XT-203	CSD36XT-203.HC	Double 3	36.25"	92	22"	56	40"	102	378	171
CSD42XT-203	CSD42XT-203.HC	Double 3	42.25"	107	22"	56	40"	102	441	200
CSD48XT-203	CSD48XT-203.HC	Double 3	48.25"	123	22"	56	40"	102	504	229
CSD56XT-204	CSD56XT-204.HC	Double 4	56.25"	143	22"	56	40"	102	588	267
CSD60XT-204	CSD60XT-204.HC	Double 4	60.25"	153	22"	56	40"	102	630	286
CSD72XT-205	CSD72XT-205.HC	Double 5	72.25"	184	22"	56	40"	102	756	343

* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

WET/DRY FINISH SHELF FEEDER

CSF SERIES

Features

- Option of EZ Adjustment or Hand Crank Adjustment system
- Rugged SDI nipples
- Direct drill-threaded water line: eliminates chance of leaks around the nipple
- Larger feeder space dimensions (14" or more) – designed for hog comfort and accessibility of feed
- *Feed saving lip* – saves feed and money

Accessories

- Drop tube holders included

Options

- Available in either single or double sided models
- This feeder is available in two sizes - standard 31" height or XT 40" height
- Also available as knock down bolt kit (ideal for long distance and international shipments)



Wet/Dry Finish Shelf Feeder | (16 GA 304SS, 31" Standard Height)

Part # (EZ-Squeeze)	Part # (Hand Crank)	Trough Spaces	Length		Width		Height		Feed Capacity	
			Inches	CM	Inches	CM	Inches	CM	Lbs	Kg
CSF15-201	CSF15-201.HC	Double 1	15.25"	39	22"	56	31"	79	82	37
CSF28-202	CSF28-202.HC	Double 2	28.25"	72	22"	56	31"	79	153	69
CSF30-202	CSF30-202.HC	Double 2	30.25"	77	22"	56	31"	79	164	74
CSF36-203	CSF36-203.HC	Double 3	36.25"	92	22"	56	31"	79	197	89
CSF42-203	CSF42-203.HC	Double 3	42.25"	107	22"	56	31"	79	229	104
CSF48-203	CSF48-203.HC	Double 3	48.25"	123	22"	56	31"	79	262	119
CSF56-204	CSF56-204.HC	Double 4	60.25"	143	22"	56	31"	79	306	139
CSF60-204	CSF60-204.HC	Double 4	60.25"	153	22"	56	31"	79	328	149
CSF72-205	CSF72-205.HC	Double 5	72.25"	184	22"	56	31"	79	393	178
CSF84-206	CSF84-206.HC	Double 6	84.25"	214	22"	56	31"	79	459	208

Wet/Dry Finish Shelf Feeder | (16 GA 304SS, 40" Extra Tall Height)

CSF15XT-201	CSF15XT-201.HC	Double 1	15.25"	39	22"	56	40"	102	158	72
CSF28XT-202	CSF28XT-202.HC	Double 2	28.25"	72	22"	56	40"	102	294	133
CSF30XT-202	CSF30XT-202.HC	Double 2	30.25"	77	22"	56	40"	102	315	143
CSF36XT-203	CSF36XT-203.HC	Double 3	36.25"	92	22"	56	40"	102	378	171
CSF42XT-203	CSF42XT-203.HC	Double 3	42.25"	107	22"	56	40"	102	441	200
CSF48XT-203	CSF48XT-203.HC	Double 3	48.25"	123	22"	56	40"	102	504	229
CSF56XT-204	CSF56XT-204.HC	Double 4	56.25"	143	22"	56	40"	102	588	267
CSF60XT-204	CSF60XT-204.HC	Double 4	60.25"	153	22"	56	40"	102	630	286
CSF72XT-205	CSF72XT-205.HC	Double 5	72.25"	184	22"	56	40"	102	756	343
CSF84XT-206	CSF84XT-206.HC	Double 6	84.25"	214	22"	56	40"	102	882	400

* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

WET/DRY SELECT PADDLE FEEDER

SP SERIES

Features

- EZ Squeeze Adjustment
- Rugged SDI nipples
- Direct drill-threaded water line: eliminates chance of leaks around the nipple
- Large feed space dimensions (14" or more) – designed for hog comfort and accessibility of feed
- *Feed saving lip* – saves feed and money
- This feeder comes in 36" height

Accessories

- Drop tube holders included



Wet/Dry Wean-to-Finish Paddle Feeder | (16 GA 304SS, 36" Height)

Part # (EZ-Squeeze)	Trough Spaces	Length		Width		Height		Feed Capacity	
		Inches	CM	Inches	CM	Inches	CM	Pounds	Kg
SP28-202	Double 2	28.25"	72	22"	56	36	91	188	85
SP30-202	Double 2	30.25"	77	22"	56	36	91	202	92
SP42-203	Double 3	42.25"	107	22"	56	36	91	282	128
SP48-203	Double 3	48.25"	123	22"	56	36	91	323	147
SP56-204	Double 4	56.25"	143	22"	56	36	91	376	171
SP58-204	Double 4	58.25"	148	22"	56	36	91	390	177
SP60-204	Double 4	60.25"	153	22"	56	36	91	403	183
SP70-205	Double 5	70.25"	178	22"	56	36	91	470	213
SP77-205* Single Flanged Divider	Double 5	77.25"	196	22"	56	36	91	517	235
SP84-206	Double 6	84.25"	214	22"	56	36	91	564	256
SP92-206* Single Flanged Divider	Double 6	92.25"	234	22"	56	36	91	618	280

* Approximate Feed Capacity based on feed density of 42 lbs. per cubic foot | ** Custom Sizes Available

SOW FEEDERS

SF SERIES



SF-015

Put your scoop and feed cart away! There is a better solution!

Provides better feed consistency, while still keeping the lactation feed intake high. Low-cost, low-maintenance - Saves your staff time and labor that can be used to save more pigs! Feed waste and spoilage eliminated! Use SDI's sow feeder with a feed tube that is easily adjusted and set.

- Heavy Duty 16 GA, 304 stainless steel
- Sloped Bottom - Keep more feed assessable to the sow
- Available in 14" and 16" widths
- Available in left or right hand
- Two adjustment options available



Hand crank wth indicator



EZ Squeeze adjustment

Adapter kit to retro existing sow feeders with ad lib adjustable feed tube assembly. This weld on kit includes adjustment, 2 straps, PVC tube and feed shelf.

SF-015I-ADAPTERKIT - Hand crank adjustment with indicator

SF-015EZ-ADAPTERKIT - EZ Squeeze adjustment

Options

- Sow feeders available in over 50 standard models
- Custom designs available
- These feeders can be adapted to fit almost any crate or head gate

Model Number

The "14" or "16" at the end of the part number indicates 14" or 16" feeder width



SF-0SM.14

Sow feed bowl, small



SF-010.14

Sow feed bowl, XL



SF-014.16

Sow feeder, with feed hopper & spring loaded shutter



SF-017.14

Sow feeder, with rolled edges

SOW FEEDERS



SF-018.14
Sow feeder, compatible with
INTAK feed system



SFD001
Sow feed dispenser



SF-039.14 - SF-039.16
Sow feeder, compatible with SFD001



SF-043.14
Wet/dry Sow feeder,
with feed hopper & shelf



SF-046.16
Sow bowl, large



SF-047.14R - SF-047.14L
Wet/dry sow feeder, with feed hopper & shelf
("R" or "L" - waterline on right or left side)



SF-025W
Wet/dry sow feeder,
with adjustable feed shelf

Feeder Accessories



SF-HOPPER
For use with SF-015 feeder
Fits inside 3" PVC tube



SFD-HOPPER
For use with SFD0001 feeder